

TABLE 1 - Larder Lake Assay Results – Larder Lake Project

Hole No.	From (m)	To (m)	Core Length (m)	True Width (m)	Au (g/t)	Comments	Zone
NFX07-1	105.0	130.2	25.2		0.3	Flow-Type	Barder Larder
	141.9	155.2	13.3		0.2	Carbonate-type	
NFX07-2	555.1	598.8	43.7		0.1	Flow-Type	Barder Larder
	602.8	611.8	9.0		0.1	Carbonate-type	
NFX07-3	269.7	275.2	5.5		0.5	Flow-Type	Barder Larder
NFX07-4	27.7	28.1	0.4		2.2	Qz veins + 15-20% Py	Barder Larder
	108.9	123.8	14.9		0.2	Carbonate-type	
NFX07-07	96.8	108.5	11.7		0.4	Flow-Type	Bear Lake
Including	98.2	98.7	0.5		2.5	Flow-Type	
Including	106.5	106.9	0.4		4.2	Flow-Type	
NFX07-08	92.9	96.4	3.5		0.3	Flow-Type ?	Cheminis
	197.5	268.5	71.0		0.1	Qz-carb veining + 1-5% Py	
Including	197.5	198.0	0.5		6.8	Qz-carb veining + 5-10% Py	
Including	254.4	255.8	1.4		4.3	Qz-carb veining + 1-5% Py (loc. 15%)	
Including	267.0	268.5	1.5		4.3	Qz-carb veining + 1-5% Py (loc. 15%)	
	694.5	732.0	37.5		0.4	Interm. Dyke, stockwork qz-albitite (10-15% Py)	
Including	708.7	709.5	0.8		4.2	Strong albitization + 20% Py	
NFX07-10	573.2	576.2	3.0		0.7	Altered basalt-stockwork qtz-carbonates (25%) Flow-type; fuchsite; 5-15% Py	Bear Lake
NFX07-11	587.5	592.7	5.2	4.3	10.4	Carbonate-type	Bear Lake
Including	588.0	589.5	1.5	1.2	20.8		
	664.6	674.8	10.2	8.4	8.0	Flow-type	
Including	667.0	673.0	6.0	4.9	13.3		
Including	668.8	673.0	4.2	3.4	18.6		
NFX-07-13	172.95	186.4	13.5		6.1		Ferland
Including	177.0	183.0	6.0		11.3		
NFX07-14	470.9	479.8	8.9	8.6	0.5	Carbonate-type	Bear Lake
	645.7	652.7	7.0	6.8	0.6	Flow-type	
NFX07-15	593.0	598.5	5.5	4.5	1.2	Carbonate-type	Bear Lake
	701.0	711.7	10.7	8.8	3.6	Flow-type	
Including	705.6	709.7	4.1	3.4	6.1		
NFX07-16	658.0	664.0	6.0	4.7	1.3	Flow-type	Bear Lake
Including	662.2	662.7	0.5	0.4	3.0		

NFX07-17A	600.5	601.0	0.5	0.3	12.2	Graphitic Fault Zone	Bear Lake
	686.5	691.3	4.8	4.2	6.0	Carbonate-type	
Including	690.0	691.3	1.3	1.1	9.7		
	736.9	745.0	8.1	7.2	4.9	Flow-type	
Including	738.0	741.0	3.0	2.7	11.4		
NFX-07-18	195.0	237.7	42.7		0.3		Ferland
Including	198.0	210.4	12.4		0.7		
Including	215.4	219.0	3.6		0.4		
Including	234.0	237.7	3.7		0.8		
NFX-07-19	234.0	239.8	5.8		0.7		Ferland
	257.0	258.5	1.5		5.9		
NFX-07-20	406.7	412.5	5.8		1.2		Ferland
Including	406.7	408.0	1.3		3.1		
NFX-07-21	247.0	247.8	0.8		2.1		Ferland
	282.0	283.0	1.0		28.1		
NFX-07-22	510.7	512.1	1.4		1.1		Ferland
	534.2	535.4	1.2		5.8		
	549.0	552.0	3.0		1.6		
Including	550.3	551.4	1.1		3.1		
NFX08-24 A	678.3	680.2	1.9	1.3	9.4	Carbonate-type	Bear Lake
	713.8	721.0	7.2	5.1	1.3	Carbonate-type	
NFX08-24AW	716.3	722.9	6.6	4.7	1.6	Carbonate-type	Bear Lake
Including	718.2	718.9	0.7	0.5	5.5		
	854.2	860.0	5.8	4.1	3.0	Flow-type	
Including	856.8	858.2	1.4	1.0	10.2		
NFX08-25	587.5	619.0	31.5	25.9	0.3	Carbonate-type	Bear Lake
NFX08-25W	688.2	689.3	1.1	0.9	1.6	Flow-type	Bear Lake
NFX-08-27	97.5	98.4	0.9		1.2	VQZ- Um	Bear Lake
	403.8	404.9	1.1		1.2	intrusive	
NFX-08-28	114.0	114.5	0.5		1.3	Flow	Bear Lake
NFX08-29	435.5	489.0	53.5	46.3	0.3	Carbonate-type	Bear Lake
NFX-08-30	162.0	164.7	2.7		0.4	Carbonate type	Bear Lake
	321.0	323.0	2.0		0.5	Flow type	
	377.4	378.4	1.0		0.8	Flow type	
NFX-08-34	245.0	246.0	1.0		0.6	Carbonate type	Bear Lake
	456.0	457.0	1.0		1.1	Carbonate type	
	473.0	474.4	1.4		0.6	Carbonate type	
	502.5	504.0	1.5		1.1	Carbonate type	
NFX08-35	137.8	142.6	4.8	3.4	18.3	Flow-type	Bear Lake
Including	137.8	138.3	0.5	0.4	163.5		
	164.1	164.8	0.7	0.5	7.2	Sediments	
NFX08-38	555.2	558.1	2.9	2.5	0.7	Flow-type	Bear Lake
NFX-08-39	145.0	146.0	1.0		0.6	Carbonate type	Bear Lake

	150.1	151.0	0.9		0.7	Carbonate type	
	3106	311.6	1.0		0.5	Flow type	
	456.3	458.0	1.7		1.0	Flow type	
NFX-08-42A	588.6	590.8	2.2		0.5	Carbonate type	Bear Lake
	599.6	600.7	1.1		1.7	Carbonate type	
NFX-08-43	839.7	843.4	3.7		0.5	Carbonate type	Bear Lake
NFX08-44	685.7	700.8	15.1	11.6	13.3	Carbonate-type	Bear Lake
Including	692.6	697.0	4.4	3.4	41.0		
Including	692.6	693.1	0.5	0.4	330.6		
NFX08-44W	689.5	702.5	13.0	10.0	2.6	Carbonate-type	Bear Lake
Including	689.5	691.0	1.5	1.2	7.1		
Including	697.3	700.5	3.2	2.5	5.1		
NFX08-44W2	687.0	688.5	1.5	1.2	2.6	Carbonate-type	Bear Lake
	695.0	703.5	8.5	6.5	3.6	Carbonate-type	
Including	695.0	698.5	3.5	2.7	5.1		
Including	702.5	703.5	1.0	0.9	9.8		
NFX08-45	564.0	569.6	5.6	4.4	2.1	Carbonate-type	Bear Lake
Including	564.0	565.0	1.0	0.8	4.0		
Including	569.0	569.6	0.6	0.5	4.3		
	686.6	687.7	1.1	0.9	4.4	Flow-type	
NFX-08-46	439.5	442.9	3.4		0.5		Ferland
	448.3	450.3	2.0		0.6		
	590.9	610.5	19.6		0.5		
Including	605.9	609.0	3.1		1.1		
NFX08-47	586.0	590.0	4.0	3.2	0.4	Flow-type	Bear Lake
	912.5	914.5	2.0	1.6	2.5	Carbonate-type	
NFX-08-48	260.5	262.0	1.5		0.4		Ferland
	474.8	487.1	12.3		0.4		
Including	484.4	485.9	1.5		1.1		
NFX08-49W2	1038.0	1040.2	2.2	2.1	1.3	Flow-type	Bear Lake
NFX08-49W3	883.0	892.3	9.3		0.29	Carbonate-type	Bear Lake
	1017.0	1026.5	9.5		1.74	Flow-type	
Including	1022.8	1025.5	2.7		4.75	Flow-type	
NFX-08-50	321.8	322.8	1.0		1.5	Séd.	Bear Lake
NFX-08-51	187.0	188.0	1.0		0.6	Séd.	Bear Lake
	356.0	357.5	1.5		0.9	Séd.	
	563.8	565.2	1.4		0.5	Séd.	
	567.4	568.9	1.5		0.5	Séd.	
	573.0	574.0	1.0		0.5	Séd.	
NFX08-52	579.0	580.0	1.0	0.8	16.3	Sediments	Bear Lake
NFX08-53	1042.5	1048.8	6.3	4.6	0.2	Carbonate-type	Bear Lake
NFX08-53W3	1094.0	1095.0	1.0	0.7	10.5	Carbonate-type	Bear Lake

NFX08-54A	1140.3	1141.7	1.4	1.0	1.9	Sediments	Bear Lake
NFX08-55	769.0	771.2	2.2	1.7	2.8	Carbonate-type	Bear Lake
NFX08-56A	1221.5	1222.6	1.1	0.6	3.1	Flow-type	Bear Lake
NFX08-57A	1350.0	1353.5	3.5	2.3	4.6	Carbonate-type	Bear Lake
NFX08-57AW	1636.5	1638.0	1.5	1.0	0.6	Flow-type	Bear Lake
NFX08-58	1038.7	1040.7	2.0	1.2	1.1	Carbonate-type	Bear Lake
	1098.6	1099.6	1.0	0.6	2.3	Carbonate-type	
NFX08-58W2	1066.0	1069.9	3.9	2.4	18.7	Carbonate-type	Bear Lake
Including	1067.5	1068.6	1.1	0.7	66.2		
BLG08-59	1133.0	1136.5	3.5	2.1	1.7	Carbonate-type	Bear Lake
	1405.0	1408.0	3.0	1.8	2.9	Carbonate-type	
Including	1406.0	1407.0	1.0	0.6	8.4		
BLG08-59W	1451.5	1452.6	1.1	0.7	1.2	Flow-type	Bear Lake
	1466.8	1469.6	2.8	1.7	2.5	Flow-type	
BLG-09-62	780.3	784.5	4.2		0.8		Barber Larder
	806.5	807.5	1.0		1.4		
	927.6	932.0	4.4		0.6		
	936.0	937.0	1.0		0.8		
BLG09-63	664.5	669.5	5.0	3.9	0.4	Carbonate-type	Bear Lake
	750.0	758.6	8.6	6.8	0.4	Flow-type	
BLG09-63W	664.5	670.0	5.5	4.3	0.1	Carbonate-type	Bear Lake
BLG09-64	619.5	624.6	5.1	4.9	3.0	Carbonate-type	Bear Lake
Including	622.3	624.6	2.3	2.2	4.5		
	754.0	759.0	5.0	4.8	0.2	Flow-type	
BLG09-65	676.2	680.2	4.0	3.4	2.1	Carbonate-type	Bear Lake
BLG09-66	615.5	625.1	9.6	9.0	0.6	Carbonate-type	Bear Lake
Including	615.5	618.2	2.7	2.5	0.9		
Including	623.0	625.1	2.1	2.0	1.3		
	727.1	729.2	2.1	2.0	11.0	Flow-type	
BLG09-67	719.7	727.2	7.5	6.5	4.0	Carbonate-type	Bear Lake
Including	722.2	727.2	5.0	4.3	5.6		
BLG09-67W	718.7	723.0	4.3	3.7	36.0	Carbonate-type	Bear Lake
Including	722.0	723.0	1.0	0.9	119.0		
	864.8	868.0	3.2	2.8	0.3	Flow-type	
BLG-09-68	496.	497.5	1.5		0.8	Carbonate type	Bear Lake
	523.5	525.0	1.5		0.8	Carbonate type	
	532.5	534.0	1.5		1.2	Carbonate type	
	641.3	642.3	1.0		0.5	Flow type	
BLG09-69	586.0	589.0	3.0	2.9	3.5	Carbonate-type	Bear Lake
Including	672.5	674.0	1.5	1.4	20.6	Altered ultramafic	
	750.7	752.9	2.2	2.1	11.7	Flow-type	
BLG09-70	666.3	673.3	7.0	6.8	0.7	Flow-type	Bear Lake

BLG09-71B	775.0	776.0	1.0	0.9	3.9	Flow-type	Bear Lake
BLG09-72A	700.1	701.1	1.0	0.9	2.1	Carbonate-type	Bear Lake
	785.5	788.2	2.7	2.4	1.7	Flow-type	
BLG09-73	663.7	667.2	3.5	3.2	1.1	Carbonate-type	Bear Lake
	862.5	863.9	1.4	1.3	13.4	Flow-type	
BLG-10-77	702.5	704.0	1.5		0.16	Carbonate-type	Bear Lake
BLG-10-78	696.5	701.0	4.5		1.43	Carbonate-type	Bear Lake
	735.5	738.6	3.1		1.47	UM	
	819.0	823.5	4.5		1.90	Flow-type	
BLG-10-79	736.5	738.0	1.5		5.96	Carbonate-type	Bear Lake
	747.2	748.5	1.3		13.85	Carbonate-type	
	754.5	761.3	6.8		6.73	Carbonate-type	
Including	757.0	760.0	3.0		12.03		
	786.0	790.0	4.0		1.07	UM	
BLG-10-79W3	806.1	808.1	2.0		1.14	Carbonate-type	Bear Lake
	997.9	1000.2	2.3		3.25	UM	
BLG-10-80	1004.0	1005.0	1.0		7.63	Carbonate-type	Bear Lake
BLG-10-81AW2	1204.0	1206.0	2.0		5.83	Carbonate-type	Bear Lake
Including	1205.0	1206.0	1.0		9.48		
	1227.3	1228.9	1.0		1.39	Carbonate-type	
	1351.2	1352.4	1.2		NSA	Flow-type	
BLG-10-82	1289.0	1290.0	1.0		2.66	Carbonate-type	Bear Lake
BLG-10-83W5	1027.8	1028.9	1.1		2.89	Carbonate-type	Bear Lake
BLG-11-85W	1179.0	1180.0	1.0		2.99	Carbonate-type	Bear Lake
BLG-11-86W2	788.4	790.4	2.0		2.35	Flow-type	Bear Lake
	795.5	799.0	3.5		1.47	Flow-type	Bear Lake
BLG-11-87A	927.6	928.6	1.0		3.7	Flow-type	Bear Lake
Holes: 5,6,9,12,23,26,31,32,33,36,37,40,60,61 and 80W : No significant assay Holes: 74-75-76-84-88: Abandoned							